



Multi-Card Reader/Writer

Hi-Speed USB, External, 60-in-1, Black

Part No.: [100939](#)

EAN-13: 0766623100939 | UPC: 766623100939

Add a digital content management center to computers.

Compatible with Most Card Formats

Easily download and transfer digital images across many of today's popular flash memory card formats (some require an adapter not included). Compatible with CompactFlash, Microdrive, Magicstor, Memory Stick, MagicGate, SecureDigital, Multimedia, XD and TransFlash formats.

Convenience without the Media Device

Access picture files without directly connecting the camera or other media device to the computer. Helps conserve battery power by eliminating the need to directly connect a digital device to the PC.

Features:

- Easily access media and manage content almost anywhere
- Includes USB mass-storage capabilities
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia
- Supports automatic card detection and data transfer speeds up to 480 Mbps
- Eliminates need for direct connection of media device to save battery power
- Plug and play; hot-swappable — Windows and Mac compatible
- Three-Year Warranty

Specifications:

Standards and Certifications

- USB 2.0
- CE
- FCC
- WEEE
- RoHS
- Supports CompactFlash Type I/II, CF 3.0, CF 4.0, CF Elite Pro, CF High Speed, CF PRO

I/II, Extreme CF, Extreme III CF, Ultra II CF, XS-XS CF, IBM and Hitachi Microdrive, MagicStor, Memory Stick, Memory Stick Duo, Memory Stick Extreme III PRO, Memory Stick Extreme PRO, Memory Stick Micro (M2), Memory Stick PRO, Memory Stick PRO Duo, Memory Stick PRO HG, Memory Stick ROM, Memory Stick Select, Memory Stick Ultra II PRO, High Speed Memory Stick PRO, High Speed Memory Stick PRO Duo, MagicGate, MagicGate Duo, MagicGate PRO, MagicGate PRO Duo, High Speed MagicGate PRO, High Speed MagicGate PRO Duo, SecureDigital (SD), Elite Pro SD, Extreme SD, Extreme III SD, High Speed miniSD*, High Speed SD, microSD / TransFlash, miniSD*, Pro SD, SDHC, SDXC, Ultra SD, Ultra II SD, Ultra II SD Plus, Ultra Speed SD, Ultra-X SD, MMC / MMC 4.0 / MMC 4.2, RS-MMC*, High Speed MMC / RS-MMC*, RS-MMC 4.0*, MMCmobile*, MMCplus*, XD / XD 1.21

General

- Power/activity LED
- Transfer rates: 480 Mbps / 12 Mbps / 1.5 Mbps
- Material: plastic

Physical

- Textured matte finish
- USB 2.0 Standard-A male to USB 2.0 Mini-B male cable, 1 m (3.3 ft.)
- Dimensions: 10.5 x 1.8 x 6 cm (4.1 x 0.7 x 2.4 in.)
- Weight: 62.4 g (2.2 oz.)

System Requirements

Compatible with Windows Server 2003/XP/Vista/7/8 and Mac OS 10.5 or higher

- USB port

Package Contents

- Multi-Card Reader/Writer
- USB cable and quick install guide

*Adapter required (not included)



